fitness | technology | customization | financing







CYBEX CYCIONE - C Cycle

Cyclone - C Cycle

- Three modes of bike operation and programming for added variety: bike mode (bike programs), constant power (fitness programs), accommodating resistance/isokinetic (speed programs) as well as Heart Rate Control and fit-test programs
- Optimal console placement positions the display in the rider's field-of-view and out of the path of sweat
- Proprietary seat design features a comfort groove and is shaped to fit the user
- Two-stage drive system with self-tensioning idlers and hybrid eddy-current self-generating brake provide high torque capabilities at lower brake speeds for smooth operation and an exceptionally wide resistance range of 15 to 900 watts
- Multi-position design of handlebars accommodates riding styles from upright to aero and is equipped with two sets of contact heart rate grips in addition to the standard Polar® compatible heart rate receiver
- Structural durability of frame allows for the most demanding user to experience a full and intense workout
- Forged three-piece superior mountain bike crank set for extreme durability
- Larger pedals to better accommodate any size foot

| Model Number | 530C |
|---------------------|---|
| Foot Print | 49" (124 cm) L x 23" (58 cm) W x 56" (142 cm) H |
| Weight | 143 lb. (65 kg) |



Cyclone[™] Cycles feature the Cybex hallmark split level design to simplify setup and provide the user with essential information. Upper display provides access to programming and graphic display of the session. Lower display provides time, speed and level control. Featured in between displays are a magazine rack and tabs to secure reading materials.





CYBEX Cyclone - R Cycle



Cyclone - R Cycle

- Three modes of bike operation and programming for added variety: bike mode (bike programs), constant power (fitness programs), accommodating resistance/isokinetic (speed programs) as well as Heart Rate Control and fit-test programs
- Unique semi-recumbent seat design features a seat back with a chimney-style vented surface and seat base with optimized shape to conform to a wide range of users
- Two-stage drive system with self-tensioning idlers and hybrid eddy-current self-generating brake provide high torque capabilities at lower brake speeds for smooth operation and an exceptionally wide resistance range of 15 to 900 watts
- Structural durability of frame allows for the most demanding user to experience a full and intense workout
- Forged three-piece superior mountain bike crank set for extreme durability
- Under display "grab handles" and seat mounted handlebars with contact heart rate grips

| Model Number | 530R |
|---------------------|---|
| Foot Print | 58" (148 cm) L x 25" (64 cm) W x 47" (119 cm) H |
| Weight | 166 lb. (75 kg) |



Cyclone™ Cycles feature the Cybex hallmark split level design to simplify setup and provide the user with essential information. Upper display provides access to programming and graphic display of the session. Lower display provides time, speed and level control Featured in between displays are a magazine rack and tabs to secure reading materials.

CYCLONE™ CYCLE SPECIFICATIONS

Cyclone™- C Cycle
(MODEL NUMBER 530C)

Cyclone[™]- R Recumbent Cycle (MODEL NUMBER 530R)





WORLD HEADQUARTERS

10 Trotter Dr. + Medway, MA 02053, USA t 508.533.4300 + f 508.533.5500 + cybexinternational.com

CYBEX INTERNATIONAL, UK LTD.

10 North Portway Close + Round Spinney + Northampton, NN3 8RQ, UK $t\,44.1604.490.900 + f\,44.1604.490.901$

FINANCING/LEASING INFORMATION

Unique to Cyclone[™]-C Cycle

SEA

Proprietary design features a comfort groove and is shaped to fit the user

HANDLEBARS

Multi-position design accommodates riding styles from upright to aero and is equipped with two sets of contact heart rate grips in addition to the standard Polar® compatible heart rate receiver

Unique to Cyclone™-R Recumbent Cycle

SEAT

Design features a seat back with a chimney-style vented surface and seat base with optimized shape to conform to a wide range of users

HANDLEBARS

Under display "grab handles" and seat mounted handlebars with contact heart rate grips

Features common to Cyclone™-C and Cyclone™-R

MODES OF OPERATION

Constant Power, Bike Mode and Speed Controlled (Isokinetic)

RESISTANCE RANGE

Minimum-15 watts, Maximum-900 watts

POWER

Self-powered, optional AC adapter for full time display

RESISTANCE TYPE

Eddy-current brake with brushless internal generator provides high torque capabilities and minimal drag

DRIVE TYPE

Two stage drive system with self-tensioning idlers for exceptionally smooth operation and minimal mechanical drag

CRANK TYPE

165 mm, three-piece heavy-duty mountain bike

PEDALS

Extra wide with adjustable straps

PORTABILITY

Wheels on front for easy rolling

DISPLAY DESIGN

Split level with magazine rack tabs

PROGRAMMING

Quick Start, Manual, three Fitness (Constant Power) programs, three Bike (Bike Mode) programs, three Speed Controlled (Isokinetic) programs, Heart Rate Control and a Fitness Test. Programs have 21 levels.

INFORMATION DISPLAYED

Graphic display of profile via 7x15 dot matrix. Upper display may scan or select between distance, calories, calories/hour, METs, watts, rpm and heart rate including multi-color indication of heart rate range. Lower display shows time, road speed and level.

HEART RATE MONITORING

Polar® compatible chest strap for HR telemetry (chest strap not included)

CONNECTIVITY

CSAFE (Fitlinxx Level 3 Pending)

FACILITY FEATURES

Facility preference setup parameters and diagnostics

MISCELLANEOUS

Water bottle holder and utility trav

REGULATORY COMPLIANCE

ASTM, UL, CE, EN, CSA, FCC

MAX USER WEIGHT

400 lb. (181 kg)

CUSTOMIZATION

Choice of five standard colors or select from over 180 custom colors

